



DEPARTMENT OF HEALTH & HUMAN SERVICES

SEP - 4 2001

Food and Drug Administration  
2098 Gaither Road  
Rockville MD 20850

Mr. Raphael Wong  
President,  
Branan Medical Corporation  
10015 Muirlands Road, Suite E  
Irvine, CA 92618

Re: K012541  
Trade/Device Name: Fastix™ Drug Screen THC/COC Dipstick Test, Fastix™ Drug Screen THC/COC/MET Dipstick Test, Fastix™ Drug Screen OPI/MET/THC/COC, Dipstick Test, and Fastix™ Drug Screen OPI/AMP/THC/COC Dipstick Test  
Regulation Number: 21 CFR 862.3870, 862.3250, 862.3610, 862.3640, 862.3100  
Regulatory Class: II  
Product Code: LDJ, DIO, LAF, DKZ, DJG  
Dated: August 1, 2001  
Received: August 7, 2001

Dear Mr. Wong:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895.

A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 -

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4588. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink that reads "Steven Gutman". The signature is written in a cursive, slightly slanted style.

Steven I. Gutman, M.D., M.B.A.  
Director  
Division of Clinical Laboratory Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

510(k) Number (if known): ~~K004034~~ K012541Device Name: Fastix<sup>TM</sup> Drug Screen THC/COC Dipstick Test

## Indications For Use:

The Branan Medical Corporation Fastix<sup>TM</sup> Drug Screen THC/COC Dipstick Test is an *in vitro* screen test for the rapid detection of THC (11-nor- $\Delta^9$ -Tetrahydrocannabinol-9-carboxylic acid) and Benzoylcegonine (cocaine metabolite) in human urine. The cutoff concentrations are as follows:

THC	11-nor- $\Delta^9$ -Tetrahydrocannabinol-9-carboxylic acid	50 ng/ml
COC	Benzoylcegonine	300 ng/ml

The test kit is used to obtain a visual, qualitative result and is intended for professional use only. It is not intended for over-the-counter sale to lay persons.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

\_\_\_\_\_  
Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use ✓  
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_

(Optional Format 1-2-96)

Keria Alexander Jr. / Jan Cooper  
(Division Sign-Off)  
Division of Clinical Laboratory Devices  
510(k) Number K012541

510(k) Number (if known): ~~K004034~~ K012541Device Name: Fastix<sup>TM</sup> Drug Screen THC/COC/MET Dipstick Test

## Indications For Use:

The Branan Medical Corporation Fastix<sup>TM</sup> Drug Screen THC/COC/MET Dipstick Test is an *in vitro* screen test for the rapid detection of THC, Cocaine and Methamphetamine in human urine. The cutoff concentrations are as follows:

THC	11-nor- $\Delta^9$ -Tetrahydrocannabinol-9-carboxylic acid	50 ng/ml
COC	Benzoylcegonine	300 ng/ml
MET	D-Methamphetamine	1000 ng/ml

The test kit is used to obtain a visual, qualitative result and is intended for professional use only. It is not intended for over-the-counter sale to lay persons.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

\_\_\_\_\_  
Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use ✓  
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_

(Optional Format 1-2-96)

Kenia Alexander for Joan Cooper  
(Division Sign-Off)

Division of Clinical Laboratory Devices

510(k) Number K012541

510(k) Number (if known): ~~K004034~~ K012541Device Name: Fastix<sup>TM</sup> Drug Screen OPI/MET/THC/COC Dipstick Test

## Indications For Use:

The Branam Medical Corporation Fastix<sup>TM</sup> Drug Screen OPI/MET/THC/COC Dipstick Test is an *in vitro* screen test for the rapid detection of Opiate, Methamphetamine THC, and Cocaine in human urine. The cutoff concentrations are as follows:

OPI	Morphine	2000 ng/ml
MET	D-Methamphetamine	1000 ng/ml
THC	11-nor- $\Delta^9$ -Tetrahydrocannabinol-9-carboxylic acid	50 ng/ml
COC	Benzoyllecgonine	300 ng/ml

The test kit is used to obtain a visual, qualitative result and is intended for professional use only. It is not intended for over-the-counter sale to lay persons.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

\_\_\_\_\_  
Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use ✓  
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_

(Optional Format 1-2-96)

Kesia Alexander for Jan Cooper  
(Division Sign-Off)  
Division of Clinical Laboratory Devices  
510(k) Number K012541

510(k) Number (if known): ~~K004034~~ K012541Device Name: Fastix<sup>TM</sup> Drug Screen OPI/AMP/THC/COC Dipstick Test

## Indications For Use:

The Branan Medical Corporation Fastix<sup>TM</sup> Drug Screen OPI/AMP/THC/COC Dipstick Test is an *in vitro* screen test for the rapid detection of Opiate, Amphetamine, THC and Cocaine in human urine. The cutoff concentrations are as follows:

OPI	Morphine	2000 ng/ml
AMP	Amphetamine	1000 ng/ml
THC	11-nor- $\Delta^9$ -Tetrahydrocannabinol-9-carboxylic acid	50 ng/ml
COC	Benzoyllecgonine	300 ng/ml

The test kit is used to obtain a visual, qualitative result and is intended for professional use only. It is not intended for over-the-counter sale to lay persons.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

\_\_\_\_\_  
Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use ✓  
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_

(Optional Format 1-2-96)

Kesia Alexander for Sean Cooper  
(Division Sign-Off)  
Division of Clinical Laboratory Devices  
510(k) Number K012541